



Colorless Tasteless Industrial Cylinder Gas In Bulk O2 Gas Oxygen

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: CMC
- Certification: COA
- Model Number: O2
- Minimum Order Quantity: 1 m3
- Price: US \$3/m3
- Packaging Details: Cylinder
- Delivery Time: 15 days
- Payment Terms: L/C, T/T
- Supply Ability: 1000Tons/year



Product Specification

- Product Name: Oxygen
- Cylinder Standard: GB/ISO/DOT
- Valve: Qf-2/Cga580
- Cylinder Pressure: 12.5MPa/15MPa/20MPa
- Boiling Point: -183°C
- Appearance: Colorless Gas
- Melting Point: -218.4 °C
- Transport Package: 40L/47L/50L/ISO Tank
- Specification: 40L/47L/50L/ISO Tank
- Trademark: CMC
- Origin: China
- HS Code: 2804400000
- Supply Ability: 100,000m3/Year
- CAS No.: 7782-44-7
- Formula: O2



More Images



for more products please visit us on gascylindertank.com

Product Description

Product Description

Oxygen gas (O₂) is the diatomic form of the element oxygen. It is a colorless, odorless, and tasteless gas that is essential for supporting life on Earth. Here are some key points about oxygen gas:

Chemical Composition: Oxygen gas is composed of two oxygen atoms bonded together (O₂). It is the most common form of oxygen found in the atmosphere, comprising approximately 21% of the Earth's air.

Properties: Oxygen gas possesses several important properties:

Supports Combustion: Oxygen is a highly reactive gas that supports combustion. It is necessary for most types of burning and is often referred to as a "burning supporter" or an oxidizer.

Solubility: Oxygen gas is sparingly soluble in water. It can dissolve in water to some extent, allowing it to be transported in the bloodstream and utilized by living organisms.

Density: Oxygen gas is slightly denser than air, which means it tends to settle near the ground level.

Occurrence and Production: Oxygen gas is present in the Earth's atmosphere and is also produced through various processes:

Natural Occurrence: Oxygen is a naturally occurring element and is one of the most abundant elements on Earth. It is released into the atmosphere through photosynthesis by plants and other photosynthetic organisms.

Industrial Production: Oxygen gas can be produced industrially through various methods, such as cryogenic distillation, pressure swing adsorption, or electrolysis of water. These processes allow for the extraction and purification of oxygen gas for various applications.

Uses and Applications: Oxygen gas has numerous applications in different fields:

Respiration and Medical Use: Oxygen gas is crucial for respiration, as it is required by living organisms for cellular respiration and energy production. In medical settings, supplemental oxygen is provided to patients with respiratory conditions or in situations where there is a need for increased oxygen levels.

Combustion and Welding: Oxygen gas is used in various industrial processes, such as combustion and welding. It is often supplied as a pure or concentrated stream to support the burning of fuels or as an oxidizer in oxy-fuel welding and cutting.

Ozone Generation: Oxygen gas can be used to generate ozone (O₃), a highly reactive form of oxygen that has various applications, including water treatment, sterilization, and air purification.

Chemical Production: Oxygen gas is utilized in the production of various chemicals, such as hydrogen peroxide, ethylene oxide, and methanol.

Aerospace and Scuba Diving: In aerospace applications, oxygen gas is used for life support systems, providing breathable air for astronauts and high-altitude pilots. In scuba diving, oxygen is used in different gas mixtures to support underwater breathing at various depths.

Environmental Remediation: Oxygen gas is sometimes used in environmental remediation processes to enhance the breakdown of pollutants and aid in the restoration of contaminated sites.

Safety Considerations: While oxygen is essential for life, it also poses certain safety risks:

Fire and Explosion Hazards: Oxygen supports combustion, and an increased concentration of oxygen can significantly increase the risk of fires and explosions. It is crucial to handle and store oxygen gas in a controlled manner and avoid contact with flammable materials.

Oxidation Hazards: Oxygen can react with certain materials, including fuels and combustible substances, leading to increased reactivity and potential hazards. Precautions should be taken to prevent accidental reactions.

Oxygen Toxicity: High concentrations of oxygen can be toxic and harmful to the human body. Prolonged exposure to high partial pressures of oxygen can cause oxygen toxicity, which can damage the lungs, central nervous system, and other organs.

Handling and Storage: Oxygen gas cylinders and systems should be handled with care, following proper storage, transportation, and usage protocols. Special attention should be given to preventing the cylinders from being damaged or contaminated.

Proper handling, storage, and use of oxygen gas are essential to ensure safety and prevent accidents. It is important to follow established safety guidelines and regulations when working with oxygen gas in various applications.

Basic Info

Transport Package:	40L/47L/50L/ISO Tank	Melting Point	-218.4 °C
Trademark:	CMC	Boiling Point	-183 °C
Specification	99.999%	Production Capacity	100,000m ³ /Year
Cylinder Pressure	12.5MPa/15MPa/20MPa	Valve	Qf-2/Cga580
Appearance	Colorless, Odorless	Density	1.429g/L

Specification:

CAS No.: 7782-44-7

EINECS No.: 231-956-9

UN No.: UN1072

Purity: 99.999%-99.9999%

Dot Class: 2.2 & 5.1

Appearance: Colorless

Grade Standard: Industrial Grade, Grade, Electronic Grade

Specification 99.999%

Hydrogen	≤0.5 ppm
Argon	≤2 ppm
Nitrogen	≤5 ppm
Carbon Dioxide	≤0.5 ppm
THC (as CH ₄)	≤0.5 ppm
Moisture	≤2 ppm

Cylinder	Specifications	Contents	Pressure
Cylinder Capacity	Valve	Volume	bar psig
40L	QF-2	7 m3	150 2175
47L	QF-2	7 m3	150 2175
50L	QF-2	10 m3	200 2900

Detailed Photo









Packaging & Shipping

Company Profile



Shanghai Kemike Chemical Co., Ltd is staffed by trained personnel, combine many years experience in Gas industry .We supply cylinder gas, electronic gas, etc ., and the gas holder, panel, valves and fittings and other equipment, parts and engineering services to our customers in China and worldwide; The products are involved in various industrial fields, such as semiconductor chip, solar cell, LED, TFT-LCD, optical fiber, glass, laser, medicine , etc., Our mission is to partner with our global customers to provide support, solutions and quality products that are innovative, reliable, and safe. Our products mainly include: H₂, O₂, N₂, Ar, CO₂, propane, acetylene, helium, laser mixed gas, SiH₄, SiH₂Cl₂, SiHCl₃,

SiCL₄, NH₃, CF₄, NF₃, SF₆, HCL, N₂O, doping mixed gas (TMB, PH₃, B₂H₆) and other electronic gases.

SiCl ₄	NH ₃	NH ₃	CH ₃ F	SiH ₄	Kr	H ₂ S	WF ₆	F ₆ +Cl ₂
4MS	C ₃ F ₈	C ₃ F ₈	TEOS	CH ₄	PH ₃	SF ₆	C ₂	HCl+Ne
CF ₄	C ₄ F ₈	SiH ₂						TMB+H ₂
SiF ₄	C ₃ H ₈	Cl ₂						He +As
BBr ₃	C ₃ H ₆	DCE						Ge+Se
POCl ₃	N ₂	SO ₂						D+B
BCl ₃	D ₂	CO ₂						CO+NO
SiHCl ₃	CH ₂ F ₂	HF						Ar+O ₂
TMAI	DMZn	DEZn						Xe+NO
			AsH ₃	C ₂ H ₄	C ₂ H ₂	HBr	COS	
			GeH ₄	C ₂ H ₆	B ₂ H ₆	H ₂ Se	GeCl ₄	



 Shanghai Kemike Chemical Co.,Ltd

 +86 18762990415

 williamchen@cmc-chemical.com

 gascylindertank.com