China

CMC

COA

Wf6

Cylinder/Tank

The production of superalloys Semiconductor Industry application Tungsten Hexafluoride

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:

Our Product Introduction

- Minimum Order Quantity: 1 Piece
- Price: US \$ 15/PC
- · Packaging Details:
- Delivery Time: 15 days
- Payment Terms: L/C, T/T
- Supply Ability: 200 Tons/Year



Product Specification

• Product Name: Tungsten Hexafluoride Appearance: Colorless Wf6 Gas • Model No.: Transport: By Sea • Purity: 99.999% • Transport Package: 200t/Year 200t/Year Specification: CMC Trademark: • Origin: China • HS Code: 2812190091 • Supply Ability: 200t/Year • CAS No.: 7783-82-6 Formula: Wf6 • EINECS: 232-029-1



More Images



Industrial Pure Air

for more products please visit us on gascylindertank.com

Product Description

WF6 refers to tungsten hexafluoride, a chemical compound composed of one tungsten atom bonded to six fluorine atoms. Here are some key points about WF6:

Chemical Formula: WF6

Molecular Weight: 297.83 g/mol

Structure: WF6 has an octahedral molecular geometry, with the tungsten atom at the center and six fluorine atoms arranged around it. Physical Properties: Tungsten hexafluoride is a colorless gas at room temperature. It has a strong, pungent odor and is highly reactive. Reactivity: WF6 is a highly reactive compound and readily reacts with water, oxygen, and other substances. It is a strong oxidizing agent and can react violently with reducing agents.

Uses: Tungsten hexafluoride has various applications in the semiconductor industry. It is used in the deposition of tungsten metal thin films during the fabrication of integrated circuits. WF6 is also used in the production of tungsten hexafluoride-based compounds, such as tungsten carbide and tungsten hexafluoride derivatives.

Safety Considerations: WF6 is highly toxic and corrosive. It can cause severe burns upon contact with the skin and eyes. Inhalation or ingestion of the gas or its decomposition products can be harmful. Proper safety precautions, such as handling the compound in a well-ventilated area and using appropriate protective equipment, should be followed.

Environmental Impact: Tungsten hexafluoride is not considered an environmental hazard. However, its reactivity and potential for releasing toxic fluorine compounds upon decomposition make proper storage, handling, and disposal important to prevent contamination.

Regulations: The use and handling of WF6 may be subject to regulations and restrictions in various countries due to its toxicity and potential environmental impact. Compliance with local regulations and guidelines is necessary.

Product Spec:

Tungsten Hexafluoride WF6 GAS CAS No.: 7783-82-6 EINECS No.: 232-029-1 UN No.: UN2196 Purity: 99.999% Dot Class: 2.3 Appearance: Colorless Grade Standard: Electron Grade,Industrial Grade


The COA of Product:

Test items	Units	Quality requirements	Test results
CF4	ppm	<0.5	<0.01
02	ppm	<0.5	<0.01
N2	ppm	<1	0.03
CO	ppm	<0.5	<0.02
CO2	ppm	<0.5	<0.01
SiF4	ppm	<0.5	<0.1
SF6	ppm	<0.5	<0.1
HF	ppm	<5	0.19
AI	ppb	≤10	<0.020
As	ppb	≤10	<0.001
В	ppb	≤10	<0.005
Са	ppb	≤5	<0.200
Cd	ppb	≤2	<0.001
Cr	ppb	≤10	<0.020
Fe	ppb	≤10	<0.007
К	ppb	≤5	<0.100
Mn	ppb	≤10	<0.001
Na	ppb	≤5	<0.040
Th	ppb	≤0.1	<0.001
Ті	ppb	≤10	<0.002
Li	ppb	≤10	<0.002
U	ppb	≤0.05	<0.001
Zn	ppb	≤10	<0.005
Si	ppb	≤10	<0.100
Pb	ppb	≤10	<0.001
P	ppb	≤2	<0.300
Mg	ppb	≤10	<0.020
Ni	ppb	≤20	<0.030
Cu	ppb	≤5	<0.005
Мо	ppb	≤10	<0.001
Total impurities of other metal	ppb	≤500	<0.0010

Detailed Photos



Company Profile



Shanghai Kemike Chemical Co., Ltd is staffed by trained personnel, combine many years experience in Gas industry .We supply cylinder gas, electronic gas, etc., and the gas holder, panel, valves and fittings and other equipment, parts and engineering services to our customers in China and worldwide; The products are involved in various industrial fields, such as semiconductor chip, solar cell, LED, TFT-LCD, optical fiber, glass, laser, medicine, etc., Our mission is to partner with our global customers to provide support, solutions and quality products that are innovative, reliable, and safe. Our products mainly include: H2, O2, N2, Ar, CO2, propane, acetylene, helium, laser mixed gas, SiH4, Sih2cl2, SiHCL3, SiCL4, NH3, CF4, NF3, SF6, HCL, N2O, doping mixed gas (TMB, PH3, B2H6) and other electronic gases.







Our Advantages

- 1. Fast delivery;
- 2. Stable raw material source;
- 3. On-line analysis system for quality control in every step;
- 4. High requirement and meticulous process for handling cylinder before filling;
- Our carbon monoxide have been exported to many countries like India, Pakistan, Malaysia, Indonesia, Australia,
- Singapore, Maldives and Ecuador.

Since the establishment of our company, it has received universal praise by virtue of good reputation, high quality and perfect after service.

FAQ

1. Q: Are you a factory or a trading company?

A: We are a manufacture and trade integration company. Expert R&D department and sophisticated supply chain is our key of success.

2. Q: Are bulk orders and multiple product orders available?

A: Yes, we have a strong production supply system to make sure all of your requirements satisfied. One station product solution is our aim of service.

3. Q: What if I never imported this product before, how do I do it?

A: Don't worry. We have import and export experience with over 50 countries over the world, our fulfillment department will guide you every step of the process.

4. What is the MOQ?

Different products have different min order. It's depends on the kind the gas and the cylinder specifications. Please feel free to contact with me directly for your requirement.

5. Q: Why choice us Kemike Gas ?

A: Stable Supply, Professional Solution, Reasonable Price, and Safety Business with our Taiyu.

6. Q: 3. How does your factory do the quality control?

A: We have standard quality control procedure. a> In production, we have quality analysis system to make sure each step is qualified. b> Before filling, we do the pre-treatment for the cylinders to clean well. c> After filling, we will do 100% inspection analyze before delivery.

7. Q:ls it possible to ship by air?

A:Gases are classified into class 2.1, class 2.2 and class 2.3 which are inflammable gas, non-flammable gas and poisonous gas. According to regulation, inflammable gas and poisonous gas cannot be shipped by air, and only non-flammable gas can be transported by air. If the amount purchased is large, sea transportation is better.

8. Q:Can I customize the package?

A:Yes of course! The most regular package is cylinder. Its size, color, valve, design and other requirements can all be met.

9. Q: What is the package & storage details?

A:Seamless steel cylinder with different valves, or as to your requirement. Stored in shady, cool, dry, ventilated warehouse, and keep away from sunlight and ramming.

10. More question.....

Feel free to contact us, you will get immediately reply

III Shanghai Kemike Chemical Co.,Ltd

+86 18762990415 Swilliamchen@cmc-chemical.com

@ gascylindertank.com