

# China Wholesale Factory Electronic Grade Price Cylinder Gas Sih4 Silane

#### **Basic Information**

. Place of Origin: China . Brand Name: CMC · Certification: COA Model Number: sih4 • Minimum Order Quantity: 1kg • Price: US \$45/kg Cylinder/Tank · Packaging Details: • Delivery Time: 15 days Payment Terms: L/C, T/T . Supply Ability: 50000kg/month



## **Product Specification**

Product Name: Silane

Electron Grade: Electron Grade

Volume: 470L
 Purity: 100.00%
 Boiling Point(°C): -112 °C

• Transport Package: Y-Cylinder Tube Bundle Container

• Specification: 99.999%/99.9999%

• Origin: China

Supply Ability: 2000piece/MonthCAS No.: 7803-62-5

Formula: Sih4EINECS: 232-263-4

Constituent: Industrial Pure AirGrade Standard: Industrial Grade

Chemical Property: Combustion-Supporting Gas



# **Silane**

### More Images



#### **Product Description**

# **Product Description**

Silane (SiH4) is a chemical compound consisting of one silicon atom bonded to four hydrogen atoms. Here are some key points about silane:

Chemical Formula: SiH4

Molecular Weight: 32.12 g/mol

Structure: Silane has a tetrahedral molecular geometry, with the silicon atom at the center and four hydrogen atoms arranged around it. Physical Properties: Silane is a colorless, flammable gas with a pungent odor. It is less dense than air and can form explosive mixtures when combined with air.

Chemical Reactivity: Silane is highly reactive and can readily react with oxygen, water, and other substances. It is pyrophoric, meaning it can ignite spontaneously in the presence of air or moisture.

Applications: Silane has various applications across different industries. In the semiconductor industry, it is used as a precursor in the chemical vapor deposition (CVD) process to deposit thin films of silicon onto semiconductor substrates. Silane is also used in the production of solar cells, optical fibers, and certain types of coatings. It can be used as a reducing agent in organic synthesis and as a source of silicon in the synthesis of various silicon-containing compounds.

Safety Considerations: Silane is highly flammable and poses fire and explosion hazards. It is also toxic and can cause chemical burns. Proper safety precautions, including the use of specialized equipment and trained personnel, should be followed when handling and working with silane. Storage and Handling: Silane is typically stored and transported in specialized containers under controlled conditions to prevent exposure to air and moisture. It is handled with extreme caution due to its reactivity and flammability.

Environmental Impact: Silane is not considered a significant environmental hazard. However, its use and disposal should be in accordance with local regulations and best practices to minimize any potential impact.

Silanes as Functional Groups: Silanes can also refer to a broader class of compounds that contain a silicon atom bonded to organic groups (R-SiR3). These silane compounds have various applications, including as coupling agents and surface modifiers in materials science and as protective coatings.



#### Essential details

CAS No.: Other Names:
7803-62-5 Silane

MF: EINECS No.:
SiH4 232-263-4

Place of Origin: Grade Standard:
Jiangsu, China Industrial Grade, Electron Grade

Purity: Appearance:

100.00% Y-Gas
Application: Brand Name:

Electron Grade , Industrial Grade, Electron Grade, Industrial

Grade

Model Number: Hazard Class:

 SiH4
 2.1

 Molecular Weight:
 UN No:

 32.117
 2203

Boiling Point(°C):

-112 °C

Silane

pureness:

High

one year

Usage:

CAS:

Widely Used

Product name:

Shelf life:

One year

CAS:

#### **Product Parameters**

# PRODUCT DISPLAY

Product Name Silane

Molecular Formula SiH4

Einecs No. 232-263-4

Place Of Origin Jiangsu, China

Purity 99.9999%

Grade Electron Grade, Industrial Grade

 Hazard Class
 2.1

 Molecular Weight
 32.117

 Un
 2203

 Boiling Point(°C)
 (-112 °C)



Shanghai Kemike Chemical Co., Ltd is staffed by trained personnel, combine many years experience in Gas industry .We supply cylinder gas, electronic gas, etc., and the gas holder, panel, valves and fittings and other equipment, parts and engineering services to our customers in China and worldwide; The products are involved in various industrial fields, such as semiconductor chip, solar cell, LED, TFT-LCD, optical fiber, glass, laser, medicine, etc., Our mission is to partner with our global customers to provide support, solutions and quality products that are innovative, reliable, and safe.

Our products mainly include: H2, O2, N2, Ar, CO2, propane, acetylene, helium, laser mixed gas, SiH4, Sih2cl2, SiHCL3, SiCL4, NH3, CF4, NF3, SF6, HCL, N2O, doping mixed gas (TMB, PH3, B2H6) and other electronic gases.

CH3F F6+CI2 WF6 SiCl4 NH3 NH3 SiH4 Kr H<sub>2</sub>S

C2 **TEOS** HCI+Ne 4MS C3F8 C3F8 CH4 PH<sub>3</sub> SF6

SiH2 CF4 C4F8

SiF4 **C3H8** CI2

DCE BBr3 **C3H6** 

POCI3 **SO2** N2

BCI3 D2 CO2

SiHCI3 CH2F2 HF

**TMAI** 

DMZn DEZn GeH4

AsH3

C2H6

**C2H4** 

**B2H6** 

C2H2

H2Se

HBr

GeCl4

COS

Xe+NO

TMB+H2

He +As

Ge+Se

D+B

CO+NO

Ar+O2





